

CP-WX410 Features & Benefits

HITACHI
Inspire the Next

 Closed Captioning



Key Features

WXGA (1280x800)	With a native resolution of 1280x800 with an aspect ratio of 16:10, makes the CP-WX410 compatible with today's widescreen laptop computers. Now your presentation will be projected exactly as you created it on your laptop while providing a 30% larger picture than a standard 4:3 projector. WXGA resolution also offers the capability to project HDTV content up to 720p without rescaling, projecting widescreen video in its intended format
3,000 lumens	Bright and clear images in any a large to middle size classroom or conference room.
Side Mounted Hybrid Filter (2,000 Hours between maintenance)	The Hitachi CP-WX410 projector provides users with a lower total cost of ownership by offering easier and less frequent maintenance.
10 watt Audio Output	10 watt speaker eliminates the need to connect external speakers
2 RGB In 1 RGB out / Composite / Component/ S-Video	The rich connectivity allows you to connect to two computer and multiple video sources at the same time. Monitor loop-through for ease of use with desktop computers.
HDMI input	The HDMI terminal allows digital signals such as DVD player/recorder, HDD to be transmitted in the digital domain, an exceptional image.
Power Saving Mode	The Saving mode reduces the stand-by power consumption to 5W with limitation of some features.
Lamp door on Top	Easy maintenance is another attractive function of the CP-WX410, as its lamp door is on top of the mode
Transition Detector	A security sensor located inside the projector recognizes when the projector has been moved. Moving the projector with out using the correct PIN Code will disable the projector. Exclusive to Hitachi.
White Board Mode	Limits the peak white by changing the gamma curve limiting its brightness when used with a whiteboard to protect the eye health of teachers and students. Exclusive to Hitachi.
Template Function	Line templates in the projector menu can help when writing on a whiteboard. There are four types of line templates to choose from. Exclusive to Hitachi.
Input Source Naming	User can name input source names in simple language instead of default manufacture names. Exclusive to Hitachi.
IR remote Frequency Change	To avoid conflict with fluorescent lights or IrDA (IR signal) from notebook PC, the frequency of the IR remote control can be changed from the menu. Exclusive to Hitachi.
My Button / My source-Doc camera	Two customizable buttons on the remote control allow users to create a shortcut for any projector command such as: Direct Input (RGB1, S-video etc.), Picture Mode, or Filter Reset. For connection to a document camera, My Source allows users to add a third "Document Camera" source button.
PIN Lock/ My Screen PIN Lock/ My Text	PIN lock protection can limit projector users. My Screen PIN Lock keeps captured images on the startup screen. Users can set a school's name or company's logo to "My Screen" clearly identifying ownership My Text provides the ability to write text on the start up screen. Example, model name, serial number, or location.
Serial Number Label on Side	It is convenient for users or auditors to be able to check the model name and serial number of an asset easily when the product is ceiling mounted. The label is upside-down and easily viewable for ceiling-use.
Closed Captioning	CC1, CC2, CC3, CC4